

Smart Grid Standards Information

Version 1.7 Tuesday, August 24, 2010

| | Section I: Use and Application of the Standard | | |
|-----|---|---|--|
| Ide | dentification and Affiliation | | |
| | Number of the standard | IEEE Std C37.92™-2005 | |
| | Title of the standard | IEEE Standard for Analog Inputs to Protective Relays from Electronic Voltage and Current Transducers | |
| | Name of owner organization | IEEE | |
| | Latest versions, stages, dates | Approved 20 March 2005 | |
| | URL(s) for the standard | http://ieeexplore.ieee.org/servlet/opac?punumber=4140799 | |
| | Working group / committee | Low Energy Analog Signal Inputs to Protective Relaying Working Group | |
| | Original source of the content (if applicable) | | |
| | Brief description of scope | This standard defines the interface between voltage or current transducer systems or sensing systems with analog electronic outputs, and suitably designed protective relays or other substation measuring equipment. These transducer systems reproduce the power system waveforms as scaled values. | |
| | | This standard also defines requirements for optional intermediate summing or ratio-adjusting amplifiers required to add or subtract the outputs of more than one sensing system for measurement by a single relay or measuring device. | |
| Lev | el of Standardization | | |
| 1. | Names of standards development organizations that recognize this standard and/or accredit the owner organization | | |
| | Has this standard been adopted in regulation or legislation, or is it under consideration for adoption? | ☐ Yes ☒ No | |
| | Has it been endorsed or recommended by any level of government? If "Yes", please describe | ☐ Yes ⊠ No | |
| | Level of Standard (check all that apply) | ☐International ☑National ☐Industry ☐de Facto ☐ Single Company | |
| | Type of document | Standard Report Guide Technical Specification | |
| | Level of Release | Released In Development Proposed | |

| | Section I: Use and Application of the Standard | | | | |
|-----|--|--|---|--|--|
| Are | Areas of Use | | | | |
| 1. | Currently used in which domains? (check all that apply) | ☐ Markets ☐ Operations☐ Generation ☒ Transmi | <u> </u> | | |
| | Planned for use in which domains? (check all that apply) | ☐ Markets ☐ Operations ☐ Generation ☐ Transmi | Service Providers ission Distribution Customer | | |
| | Please describe the Smart Grid systems and equipment to which this standard is applied | Intelligent Electronic Device and switchyards. | ces (IEDs) used in substations, control houses | | |
| Rel | ationship to Other Stan | dards or Specificat | tions | | |
| 1. | Which standards or specifications standard? | are referenced by this | IEEE Std 525 [™] , IEEE Guide for the Design and Installation of Cable Systems in Substations. IEEE Std 1050 [™] , IEEE Guide for Instrumentation and Control Equipment Grounding in Generating Stations. IEEE Std C37.90 [™] , IEEE Standard for Relays and Relay Systems Associated with Electric Power Apparatus. IEEE Std C37.90.1 [™] , IEEE Standard Surge Withstand Capability (SWC) Tests for Relay and Relay Systems Associated with Electric Power Apparatus. IEEE Std C37.90.2 [™] , IEEE Standard for Withstand Capability of Relay Systems to Radiated Electromagnetic Interference from Transceivers. IEEE Std C57.13 [™] , IEEE Standard Requirements for Instrument Transformers. | | |
| | Which standards or specifications standard? | are related to this | | | |
| | Which standards or specifications overlap)? | cover similar areas (may | | | |
| | What activities are building on this | work? | | | |
| | ot of Energy Smart Grid se describe how this standard may | | ving: | | |
| 1. | Enables informed participation by | customers | ☐ Yes ⊠ No | | |
| 2. | Accommodates all generation and | storage options | ⊠ Yes □ No | | |
| 3. | Enables new products, services a | nd markets | ⊠ Yes □ No | | |
| 4. | Provides the power quality for a ra | inge of needs | ☐ Yes ⊠ No | | |
| 5. | Optimizes asset utilization and op- | erating efficiency | ☐ Yes ⊠ No | | |

| | Section I: Use and Application | of the Standard |
|----|--|-----------------|
| 6. | Operates resiliently to disturbances, attacks, and natural disasters | ☐ Yes ⊠ No |

| Pric | Priority Areas Previously Mentioned by FERC and NIST | | | |
|-------|--|--|--|--|
| | se describe if and how this standard may be applied in each of the | | | |
| in se | ction Error: Reference source not found to discuss any other sign | | | |
| appli | | | | |
| 1. | Cybersecurity and physical security | ☐ Yes ⊠ No | | |
| 2. | Communicating and coordinating across inter-system interfaces | ⊠ Yes □ No | | |
| 3. | Wide area situational awareness | ⊠ Yes □ No | | |
| 4. | Smart grid-enabled response for energy demand | ☐ Yes ⊠ No | | |
| 5. | Electric storage | ☐ Yes ⊠ No | | |
| 6. | Electric vehicle transportation | ☐ Yes ⊠ No | | |
| 7. | Advanced metering infrastructure | ☐ Yes ⊠ No | | |
| 8. | Distribution grid management | ☐ Yes ⊠ No | | |
| | | | | |
| Ope | enness | | | |
| 1. | Amount of fee (if any) for the documentation | \$63 | | |
| 2. | Amount of fee (if any) for implementing the standard | None. | | |
| 3. | Amount of fee (if any) to participate in updating the standard | None. | | |
| 4. | Is the standard documentation available online? | ⊠ Yes □ No URL: | | |
| | | http://ieeexplore.ieee.org/servlet/opac? punumber=4140799 | | |
| 5. | Are there open-source or reference implementations? | Yes No | | |
| 6. | Are there open-source test tools? | Yes No | | |
| 7. | Would open-source implementations be permitted? | ∑ Yes ☐ No | | |
| 8. | Approximately how many implementers are there? | | | |
| 9. | Approximately how many users are there? | | | |
| | | | | |
| 10. | Where is the standard used outside of the USA? | | | |
| 11. | Is the standard free of references to patented technology? | Yes No | | |
| 12. | If patented technology is used, does the holder provide a royalty-free license to users of the standard? | Yes No Not Patented | | |
| 13. | Can an implementer use the standard without signing a license agreement? | ⊠ Yes □ No | | |
| 14. | Are draft documents available to the public at no cost? | Yes No | | |
| 15. | How does one join the working group or committee that controls the standard? | | | |
| 16. | Is voting used to decide whether to modify the standard? If Yes, explain who is permitted to vote. | | | |
| 17. | Is an ANSI-accredited process used to develop the standard? | ⊠ Yes □ No | | |
| 18. | What countries are represented in the working group or | | | |
| _ | committee that controls the standard? | | | |
| Sur | poort. Conformance. Certification and Testi | ina | | |

| 1. | Is there a users group or manufacturers group to support this standard? | ☐ Yes ☐ No |
|-----|--|--|
| 2. | What is the name of the users group or manufacturers group (if any)? | |
| 3. | What type of test procedures are used to test this standard? (please check all that apply) | ☐ Internal to the lab ☐ Published by standards organization ☐ Published by users group ☐ No procedures, informal testing |
| 4. | Are there test vectors (pre-prepared data) used in testing? (please check all that apply) | ☐ Internal to the lab ☐ Published by standards organization ☐ Published by users group ☐ No procedures, informal testing |
| 5. | What types of testing programs exist? (check all that apply) | ☐ Interoperability Testing☐ Conformance Testing☐ Security Testing☐ No Testing |
| 6. | What types of certificates are issued? (check all that apply) | ☐ Interoperability Certificate ☐ Conformance Certificate ☐ Security Certificate (text document) ☐ No Certificates |
| 7. | Are there rules controlling how and when to use the logo? | ☐ Yes ☐ No ☒ Standard has no logo |
| 8. | Is there a program to approve test labs? | Yes No |
| 9. | Approximately how many test labs are approved (if any)? | |
| 10. | Is there a defined process for users to make technical comments on the standard or propose changes to the standard and have these issues resolved? | Yes No |
| 11. | Is there a published conformance checklist or table? | ☐ Yes ☐ No |
| 12. | Are there defined conformance blocks or subsets? | Yes No |
| 13. | Approximately how many vendors provide test tools? | |
| 14. | Are there tools for pre-certification prior to testing? | Yes No |
| 15. | Can vendors self-certify their implementations? | Yes No |
| 16. | Is there application testing for specific uses? | Yes No Not applicable |
| 17. | Is there a "golden" or "reference" implementation to test against? | ☐ Yes ☐ No |
| 18. | Who typically funds the testing? (check all that apply) | User Users Group Vendor Confidential |
| 19. | Is there a method for users and implementers to ask questions about the standard and have them answered? (check all that apply) | ☐ Yes, official interpretations☐ Yes, informal opinions☐ No |
| 20. | Does the users' group (or some other group) fund specific tasks in the evolution of the standard? | Yes No |
| 21. | Is the users' group working on integration, harmonization or unification with other similar standards? | ☐ Yes ☐ No |

| 22. | What other standards is this standard being integrated, harmonized, or unified with (if any)? | |
|-----|---|-----------------------------|
| 23. | Are there application notes, implementation agreements, or guidelines available describing specific uses of the standard? | ⊠ Yes ☐ No ☐ Not applicable |
| | Notes se present here any additional information about the standard tha | at might be useful: |
| 1. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| | Section II: Functional Descripti | on of the Standard |
|-----------------------|---|---|
| | Coolien II. I uniolienal Booonipti | |
| | dWise Architecture: Layers se identify which layers this standard specifies, as described in | |
| http:/ | /www.gridwiseac.org/pdfs/interopframework_v1_1.pdf, and the bing to the Open Systems Interconnect (OSI) model is approxin | |
| 1. | Layer 8: Policy | ☐ Yes ⊠ No |
| 2. | Layer 7: Business Objectives | ☐ Yes ⊠ No |
| 3. | Layer 6: Business Procedures | ☐ Yes ⊠ No |
| 4. | Layer 5: Business Context | ☐ Yes ⊠ No |
| 5. | Layer 4: Semantic Understanding (object model) | ☐ Yes ⊠ No |
| 6. | Layer 3: Syntactic Interoperability (OSI layers 5-7) | ☐ Yes ⊠ No |
| 7. | Layer 2: Network Interoperability (OSI layers 3-4) | ☐ Yes ⊠ No |
| 8. | Layer 1: Basic Connectivity (OSI layers 1-2) | ⊠ Yes □ No |
| Pleas ques cand | dWise Architecture: Cross-Cutting Issues see provide an explanation in the box beside the heading for any tion is not applicable because the function is provided in another idates. Note that "the standard" refers to the technology specific selves. | er layer or standard, please suggest any likely |
| | Shared Meaning of Content | |
| 1. | Do all implementations share a common information model? | Yes No Not applicable |
| 2. | Can data be arranged and accessed in groups or structures? | Yes No Not applicable |
| 3. | Can implementers extend the information model? | Yes No Not applicable |
| 4. | Can implementers use a subset of the information model? | Yes No Not applicable |
| | Resource Identification | |
| 5. | Can data be located using human-readable names? | Yes No Not applicable |
| 6. | Can names and addresses be centrally managed without human intervention? | Yes No Not applicable |
| | Time Synchronization and Sequencing | |
| 7. | Can the standard remotely synchronize time? | ☐ Yes ☒ No ☐ Provided in another layer |
| 8. | Can the standard indicate the quality of timestamps? | ☐ Yes ☒ No ☐ Provided in another layer |
| | Security and Privacy | |
| 9. | Where is security provided for this standard? | ☐ Within this standard☒ By other standards |
| 10. | Does the standard provide authentication? | ☐ Yes ⊠ No |
| 11 | Does the standard permit role-based access control? | ☐ Yes ☒ No |

| | Section II: Functional Descripti | on of the Standard |
|-----|---|---|
| 12. | Does the standard provide encryption? | ☐ Yes ⊠ No |
| 13. | Does the standard detect intrusions or attacks? | ☐ Yes ⊠ No |
| 14. | Does the standard facilitate logging and auditing of security events? | ☐ Yes ⊠ No |
| 15. | Can the security credentials be upgraded remotely? | Yes No No Credentials |
| 16. | Can the security credentials be managed centrally? | Yes No No Credentials |
| 17. | Please list any security algorithms and standards used | |
| 18. | Please provide additional information on how the standard addresses any "Yes" answers above | |
| 19. | Please provide additional information about why any of the questions listed above do not apply to this standard | |
| | Logging and Auditing | |
| 20. | Does the standard facilitate logging and auditing of critical operations and events? | ☐ Yes ⊠ No |
| 21. | Can the standard gather statistics on its operation? | ⊠ Yes ☐ No ☐ Not applicable |
| 22. | Can the standard report alerts and warnings? | ☐ Yes ☐ No ☒ Not applicable |
| | Transaction State Management | |
| 23. | Can the standard remotely enable or disable devices or functions? | ☐ Yes ☒ No ☐ Not applicable |
| | System Preservation | |
| 24. | Can the standard automatically recover from failed devices or links? | ☐ Yes ☒ No ☐ Not applicable☐ Provided in another layer |
| 25. | Can the standard automatically re-route messages? | ☐ Yes ☒ No ☐ Not applicable☐ Provided in another layer |
| 26. | Can the standard remotely determine the health (as opposed to just connectivity) of devices or software? | ☐ Yes ☑ No ☐ Not applicable |
| | Other Management Capabilities | |
| | Please describe any other system or network management capabilities the standard provides. | |
| | Quality of Service | |
| 27. | Is data transfer bi-directional? | ⊠ Yes □ No |
| 28. | Can data be prioritized? | ☐ Yes ☒ No ☐ Not applicable |
| 29. | What types of reliability are provided? | Reliable Non-guaranteed Both Either Provided in another layer |
| 30. | Can information be broadcast to many locations with a single transmission? | ☐ Yes ⊠ No ☐ Not applicable |
| | Please describe any other methods the standard uses to manage quality of service. | |
| | Discovery and Configuration | |
| 31. | Can the software or firmware be upgraded remotely? | ☐ Yes ☐ No ☒ Not applicable |

| | Section II: Functional Description of the Standard | | | | |
|-----|--|---|--|--|--|
| 32. | Can configuration or settings be upgraded remotely? | Yes No Not applicable | | | |
| 33. | Can implementations announce when they have joined the system? | ☐ Yes ☐ No ☒ Not applicable | | | |
| 34. | Can implementations electronically describe the data they provide? | Yes No Not applicable | | | |
| | System Evolution and Scalability | | | | |
| 35. | What factors could limit the number of places the standard could be applied? | | | | |
| 36. | What steps are required to increase the size of a system deploying this standard? | | | | |
| 37. | Is the information model separate from the transport method? | ⊠ Yes □ No | | | |
| 38. | Does the standard support alternate choices in the layers(s) below it? | Yes No No layers below | | | |
| 39. | List the most common technology choices for layers implemented below this standard | | | | |
| 40. | Does the standard support multiple technology choices in the layers above it? | ☐ Yes ☐ No ☒ No layers above | | | |
| 41. | List the technologies or entities that would most commonly use this standard in the layer above | | | | |
| 42. | Please describe any mechanism or plan to ensure the standard is as backward-compatible as possible with previous versions | | | | |
| 43. | Please describe how the design of this standard permits it to be used together with older or legacy technologies | | | | |
| 44. | Please describe how the design of this standard permits it to co-exist on the same network or in the same geographic area with similar technologies, and give examples | | | | |
| 45. | Electromechanical | | | | |
| 1 | hitectural Principles se describe how this standard may apply any of these principles | s: | | | |
| 1. | Symmetry – facilitates bi-directional flow of energy and information | Standard facilitates standardization of the transfer of analog data from transducers to protective relays and other IEDs. | | | |
| 2. | Transparency – supports a transparent and auditable chain of transactions | | | | |
| 3. | Composition – facilitates the building of complex interfaces from simpler ones | | | | |
| 4. | Loose coupling – can support bilateral and multilateral transactions without elaborate pre-arrangement | | | | |
| 5. | Shallow integration – does not require detailed mutual information to interact with other components | | | | |

| | Section II: Functional Description of the Standard | |
|----|---|--|
| 6. | Please list any other architectural models, reference architectures or frameworks this standard was designed to be compliant with, e.g. W3C, IEC TC57, OSI and how it fits those models | |